


1. Umkarton/ *Covering box*




Suggestion:
Cap should fit to Covering Box

Spezifikation

- Beschreibung: Faltkarton mit 2 Griff- und 2 Luftlöchern
- Belastbarkeit: min. 25 kg
- Doppelwelle (EB): 120 g/m² Kraftliner (aussen), 100 g/m² Wellenstoff, 100 g/m² Schrenz, 100 g/m² Wellenstoff, 140 g/m² Testliner (innen)
- Wellenrichtung: siehe Zeichnung
- Farbe: braun/ braun
- Druck: ohne
- Klebung

Specification

- Description: folding carton with 2 gripholes and 2 holes for aeration
- Carrying capacity: min. 25 kg
- Double Board (EB): 120 g/m² strengthliner (outside), 100 g/m² corrugated paper, 100 g/m² schrenz, 100 g/m² corrugated paper, 140 g/m² testliner (inside)
- Direction of corrugated paper: see drawing
- Colour: brown/ brown
- Printing: without
- Adhesive sealing: see drawing




F. REYHER Nchfg.	Umkarton Spezifikation <i>Covering box specification</i>	REYHER 
REY 903		

Rev: 7

Ausgabedatum/
Date of issue 08/2014

2. Deckel / Cap




Spezifikation

- Beschreibung: Deckel für Faltkarton
- Feinwelle (B): Außen-Decke (120 g/m² Kraftliner), Welle (105 g/m² Wellenstoff), Innen-Decke (140 g/m² Testliner)
- Wellenrichtung: siehe Zeichnung
- Farbe: braun/ braun
- Druck: ohne
- Klebung

Specification

- Description: folding carton with gripholes and holes for aeration
- Single wall corrugated board (B): 120 g/m² strengthliner (outside), 105 /m² corrugated paper – 140 g/m² testliner (inside)
- Direction of corrugated paper: see drawing
- Colour: brown/ brown
- Printing: without
- Adhesive sealing: see drawing



3. Änderungen/Changes

- Ergänzung des Anhangs/Supplementing the appendix

F. REYHER Nchfg.	Umkarton Spezifikation <i>Covering box specification</i>	REYHER 
REY 903		

Rev: 7

Ausgabedatum/
Date of issue 08/2014

Anhang/Appendix

Packing instruction Covering Box REY 903-1

Article

This packing instruction applies to P/O-positions up to 150 kg of total weight.
For higher total weight of P/O positions use regular packing mode without Covering Box.
Total Quantity of one single P/O-position is not allowed to split in partial shipments.
Complete delivery per P/O-position is required.

Covering Box

Max. weight per box 25 kg.
Each box should contain only one type of article, do not mix different article in one box. Label in the direction of the top. If the packing mode of the boxes is more than one layer; please use the same mode of packing for the second layer. Each box has to be covered with a cap.

Cap / top

The top is signed with the pallet no. + label used for articles of the content + total number quantity (pcs) of articles containing Covering Box

Labelling :

E.g. label (original indicate quantity/ box) x 20 (# boxes can be handwritten)= 2.000 pcs total

Pallet stuffing

1 layer max. 8 Covering Boxes, pallet max. 3 frames

stuff these pallets on top of normal stuffed pallets to avoid transport damage.

Packing list must indicate

Pallet no.	3
P/O No.	1245235-440-L
Article	DIN 912 10.9 M 6 x 60
Quantity (total pcs)	2.000 pcs
#Covering Box per item	1
Mode of packing	20x100 pcs (e.g. 20 small boxes containing 100 pcs each)

At the end of each packing list show us the sum of used caps and covering boxes